

Objective

- Support StarlingX on multiple OS distro's providing <u>equivalent</u> functionality on each
- Initial Candidate OS's: Centos (current), Ubuntu, Clear Linux

Overview

- Starting point is vanilla OS distribution packages required packages for StarlingX
- Modified OS packages built against the distro
 - Goal is to drive this to virtual zero
- StarlingX packages are built against each distro
- Create a OS abstraction layer OSAL
 - Bridge between the common code and OS to translate the requests to OS dependent function
 - This will be needed for subsystems such as patching
- Containerize the infrastructure to provide an OS agnostic packaging format
 - Ideally everything outside of the base OS would move to containers
 - Potentially a set of images built against one distro can be used for all



Current OS Distro

- StarlingX is currently not based on a pure centos distribution:
 - Skinny distribution, minimum set of packages
 - Number of modified distro packages (100-150)
 - Need to drive this to virtual zero
 - Packages that are built out of tree to pick up newer drivers, qemu etc.
 - Some required packages are not even provided by Centos distro

Key Building Block Alignment

- In order to ensure maximum feature alignment and minimize validation costs, it is recommended to align on versions of key packages:
 - python
 - kubernetes & friends
 - libvirt/QEMU
 - networking drivers
 - OVS-DPDK
 - CEPH
 - Openstack version
 - Others ?
- These would need to be built out of tree against each distro

Other Considerations

- All OS's will not provide equivalent functionality
 - For instance Ubuntu does not provide a RT kernel, therefore the current low latency compute profile does not make sense for it

Build Environment

- Need a build environment to build packages against each supported distro
- Need to be able to build patched packages for each distro
 - Patches will likely be different as the package versions will vary
- Build environment needs to lock down package versions versus letting float
 - At the very least this is required for release loads

Package Customizations

- Need to reduce the number of customizations upstreaming, refactoring, deprecation
- For the remainder
 - Refactor patches for each distro and provide custom per distro packages
 - Very expensive if this ends up being a big number

Containerizing the infrastructure

- Containerize the infrastructure to provide a consistent packaging format across all distro's
 - Containerizing openstack is the initial step
- This avoids having per distro package management and s/w live cycle implementations
- Build once and use across all ?
 - Container images built against one distro can be used for all

Package Management

- Centos uses rpm with yum or smart as the package manager
- Ubuntu uses deb with apt as the package manager
- Software management functions such as patching will need to be abstracted away from the underlying package management
 - Patching would need to be updated to abstract away the package manager
 - Interfaces with the correct package manger based on distro type

Installer

- Each distro will have it's own installer that will need to be integrated into StarlingX
 - Anaconda for centos which has been extended by StarlingX
 - Kickstart equivalents for other installers would need to be updated

Initialization

• All considered distro's use systemd